## **Drill Traffic Preface (ICS 213 Messages)**

Tonight's drill message will be in ICS-213 format. Please prepare to copy. Blank ICS-213 forms are available on the CCAR website.

All stations, please standby.

(Transmit the message...)

Stations requiring fills, please call now.

(Service any fill requests received.)

All stations – please acknowledge receipt of the message during the checkout procedure.

(Return control to the NCS station.)

## **GENERAL MESSAGE (ICS 213)**

1. Incident Name (		LL		
<b>2. To</b> (Name and Po	sition): All Net Stations			
<b>3. From</b> (Name and	Position): Craig WB3GCK	K, CCAR Voice Net Manager		
4. Subject: Rad	io Room Security		5. Date: May 2	<b>6. Time</b> 1855
is best to allow and equipment	only the operators who	ssages you handle, and prevent are on duty to be in the room. A ible. Only allow members of the gency.	void leaving th	e radio room
8. Approved by:	Name: Craig WB3GCK	Signature:	Position/Title: CC	AR Voice Net lanager
9. Reply:				
10. Replied by:	Name:	Position/Title:	Signature:	
ICS 213		Date/Time:		

Here's an example of how this message would be transmitted over the air:

ICS213 MESSAGE FOLLOWS...

THIS IS A DRILL

To ... All Net Stations

From ... Craig [AMATEUR\_CALL] WHISKEY BRAVO THREE GOLF CHARLIE KILO

Position ... [LETTER\_GROUP] CHARLIE CHARLIE ALPHA ROMEO Voice Net Manager

Subject ... Radio Room Security

Date ... May TWO

Time ... ONE EIGHT FIVE FIVE

[MESSAGE TEXT FOLLOWS]

To protect your equipment and the messages you handle [COMMA] and prevent unnecessary distractions [COMMA] it is best to allow only the operators who are on duty to be in the room [PERIOD] Avoid leaving the radio room and equipment unattended and accessible [PERIOD] Only allow members of the press to be in the room with the specific permission of the served agency [PERIOD]

[END OF MESSAGE TEXT]

Signature ... Craig [AMATEUR\_CALL] WHISKEY BRAVO THREE GOLF CHARLIE KILO

Position ... [LETTER\_GROUP] CHARLIE CHARLIE ALPHA ROMEO Net Manager

**END OF MESSAGE** 

NO MORE

THIS IS A DRILL